IN THE CLAIMS

Please amend the claims as follows. For claims not marked as amended in this response, any difference in the claims below and the previous state of the claims is unintentional and in the nature of a typographical error.

- 1-20. (Canceled).
- 21. (Currently Amended) For use in a wireless network, a base station comprising an antenna array capable of transmitting forward channel data into S sectors associated with said base station, wherein said base station

receives a plurality of data packets in a first data frame of a wireline connection,
associates each a first one of said received data packets with a corresponding first one of said
S sectors,

associates a second one of said received data packets with a corresponding second one of said

S sectors, said first and second sectors being different ones of said S sectors, and

concurrently transmits at least some of said associated said first and second data packets in said corresponding first and second sectors during a first subframe of a first forward channel data frame.

L:\SAMS01\00162 -2-

PATENT

22. (Previously Presented) The base station as set forth in Claim 21, wherein said first

data frame of said wireline connection has a duration T, said first forward channel data frame has a

duration T, and said first subframe has a duration less than T.

23. (Currently Amended) The base station as set forth in Claim 22, wherein said base

station is further capable of transmitting a first additional associated data packet associated with said

first sector in [[a]] said first corresponding sector during a period of said first forward channel data

frame following said first subframe.

24. (Currently Amended) The base station as set forth in Claim 23, wherein said base

station is further capable of transmitting a second additional associated data packet associated with

said second sector in [[a]] said second corresponding sector during said period of said first forward

channel data frame following said first subframe.

25. (Currently Amended) The base station as set forth in Claim 24, wherein said base

station transmits said first additional associated data packet and said second additional associated

data packet sequentially.

L:\SAMS01\00162 -3-

PATENT

26. (Currently Amended) The base station as set forth in Claim 22, wherein said base

station is further capable of transmitting a first additional associated data packet associated with said

first sector in [[a]] said first corresponding sector in a first dedicated time slot of said first forward

channel data frame following said first subframe.

27. (Currently Amended) The base station as set forth in Claim 26, wherein said base

station is further capable of transmitting a second additional associated data packet associated with

said second sector in [[a]] said second corresponding sector in a second dedicated time slot of said

first forward channel data frame following said first subframe.

28. (Previously Presented) The base station as set forth in Claim 27, wherein said first

dedicated time slot and said second dedicated time slot are sequential time slots.

29. (Currently Amended) A wireless network comprising a plurality of base stations

capable of communicating with a plurality of mobile stations in a coverage are area of said wireless

network,

wherein a first one of said plurality of base stations comprises an antenna array capable of

transmitting forward channel data into S sectors associated with said first base station, and

wherein said first base station

receives a plurality of data packets in a first data frame of a wireline connection,

L:\SAMS01\00162 -4-

PATENT

associates each a first one of said received data packets with a corresponding first one

of said S sectors,

associates a second one of said received data packets with a corresponding second one

of said S sectors, said first and second sectors being different ones of said S sectors, and

concurrently transmits at least some of said associated said first and second data

packets in said corresponding first and second sectors during a first subframe of a first forward

channel data frame.

30. (Previously Presented) The wireless network as set forth in Claim 29, wherein said

first data frame of said wireline connection has a duration T, said first forward channel data frame

has a duration T, and said first subframe has a duration less than T.

31. (Currently Amended) The wireless network as set forth in Claim 30, wherein said first

base station is further capable of transmitting a first additional associated data packet associated with

said first sector in [[a]] said first corresponding sector during a period of said first forward channel

data frame following said first subframe.

L:\SAMS01\00162 -5-

PATENT

32. (Currently Amended) The wireless network as set forth in Claim 31, wherein said first

base station is further capable of transmitting a second additional associated data packet associated

with said second sector in [[a]] said second corresponding sector during said period of said first

forward channel data frame following said first subframe.

33. (Currently Amended) The wireless network as set forth in Claim 32, wherein said first

base station transmits said first additional associated data packet and said second additional

associated data packet sequentially.

34. (Currently Amended) The wireless network as set forth in Claim 33, wherein said first

base station is further capable of transmitting a first additional associated data packet associated with

said first sector in [[a]] said first corresponding sector in a first dedicated time slot of said first

forward channel data frame following said first subframe.

35. (Currently Amended) The wireless network as set forth in Claim 34, wherein said first

base station is further capable of transmitting a second additional associated data packet associated

with said second sector in [[a]] said second corresponding sector in a second dedicated time slot of

said first forward channel data frame following said first subframe.

L:\SAMS01\00162 -6-

PATENT

36. (Previously Presented) The wireless network as set forth in Claim 35, wherein said

first dedicated time slot and said second dedicated time slot are sequential time slots.

37. (Currently Amended) For use in a base station of a wireless network, a method of

transmitting forward channel data into S sectors associated with the base station comprising the steps

of:

receiving in the base station a plurality of data packets in a first data frame of a wireline

connection;

associating each a first one of the received data packets with a corresponding first one of the

S sectors;

associating a second one of the received data packets with a corresponding second one of the

S sectors, wherein the first and second sectors are different ones of the S sectors; and

transmitting concurrently at least some of said associated the first and second data packets in

the corresponding first and second sectors during a first subframe of a first forward channel data

frame.

38. (Previously Presented) The method as set forth in Claim 37, wherein the first data

frame of the wireline connection has a duration T, the first forward channel data frame has a duration

T, and the first subframe has a duration less than T.

L:\SAMS01\00162 -7-

PATENT

39. (Currently Amended) The method as set forth in Claim 38, further comprising the

steps of:

transmitting a first additional associated data packet associated with the first sector in [[a]]

the first corresponding sector during a period of the first forward channel data frame following the

first subframe; and

transmitting a second additional associated data packet associated with the second sector in

[[a]] the second eorresponding sector during the period of the first forward channel data frame

following the first subframe.

40. (Currently Amended) The method as set forth in Claim 39, wherein the first

additional associated data packet and the second additional associated data packet are transmitted

sequentially.

L:\SAMS01\00162 -8-